## ARTRIX OMNI PRO

Adieu! Pre-Treatment





## PRE-TREATMENT + PRINTING

Just paired.



## CBS

#### Color Boosting Solution

CBS is a newly developed technology by d.gen & DGI that guarantees high-quality inkjet printing without requiring any separate pre-treatment process.

It reacts with pigment inks, enhances the vibrancy of colors, and increases their fastness on a wide range of fabric, including cotton, polyester, nylon, etc.





Great performance with

### Cotton, Polyester, Nylon, Rayon and More





SAMPLE B
None coated fabric with CBS




SAMPLE D

None coated fabric with CBS

# Colorability




COLOR FASTNESS TO WASHING (GRADE): ISO 105-C06:2010 (A2S, (40 ± 2) °C, ECE(B), DRY



■ TRADITIONAL PRECOATING PROCEDURE

COLOR FASTNESS TO WASHING (GRADE) : ISO 105-C06:2010 (A2S,  $(40 \pm 2)$  °C, ECE(B), WET



■ NO PRECOATING, PRINT WITH CBS

## Fastness



### ARTRIX OMNI PRO

Adieu! Pre-Treatment







#### INDUSTRIAL LEVEL DIRECT TO TEXTILE PRINTER

Up to

1 7 m²/h

Speed

Up to


Resolution

600 X 1,200 dpi






#### **KEY FEATURES**



#### LINEAR MOTOR AND METAL ENCODER SCALE

The linear motor and metal encoder scale ensure high-precision printing, while also maintaining low operational and maintenance costs.




#### POWERFUL IN-LINE DRYER

The In-line dryer is equipped with six infrared lamps, making it more powerful and explicitly designed to efficiently dry even the thickest fabrics at high speeds.



#### HIGHLY VERSATILE FABRIC FEEDING SYSTEM

The feeding system provides edge positioning control to ensure perfect feeding. Additionally, it incorporates a pneumatic clutch to prevent distortion of the media.



#### ADVANCED BELT WASHING UNIT

Equipped with a powerful brush and dryer, the advanced belt washing unit enhances the long-lasting tackiness of the glue.



#### UPGRADED DEGASSING SYSTEM

The degassing system improves runability for continuous printing, reduces cleaning time, prevents missing nozzles, and minimizes excessive ink usage.



#### SMART FABRIC PRESS ROLLER

The smart fabric press roller finely regulates pressure in order to ensure stable printing and prevent distortion of the media.



#### **SPECIFICATIONS**

Printing

Print Head

Ricoh, 10 Heads

Ink Type

Pigment

Number of Colour

6 + CBS

Max Printing Resolution

600 X 1,200dpi

Max Printing Width

1,830mm

Printing Mode

Bi-Direction/Uni-Direction

Ink

Pigment

Yellow, Magenta, Cyan, Black, + Lc, Lm, Or, Bl, Sc, Gr

Ink Capacity

5L

**Printing Speed** 

600 X 600dpi 2pass

117m<sup>2</sup>/h

600 X 900dpi 3pass

86m<sup>2</sup>/h

600 X 1,200dpi 4pass

65m<sup>2</sup>/h



#### **SPECIFICATIONS**

#### Media

#### Media Drive

Adhesive Belt Conveyor System

#### Belt Washing

Automatic

#### Max Media Width

1,880mm

#### Max Media Load

Diameter: 320mm, Weight: 40kg
Diameter: 320mm, Weight: 100kg
\*Option (Rubber Band Shaft)

#### Max Media Thickness

2mm

#### Core Diameter Feeder

320mm, 2~3inch

#### Operational Environment

#### Temperature

Operating: 20°C~25°C

#### Humidity

Operating: 45~65%

\* Environmental influences can affect print quality.

#### Others

#### Rip Software

Ergosoft, Caldera, Wasatch



#### **SPECIFICATIONS**

| Dimensions                        | Weight           | Electricity                    |
|-----------------------------------|------------------|--------------------------------|
| Printing Machine                  | Printing Machine | Printing Machine               |
| 4,130(W) x 1,700(D) x 1,800(H) mm | 2,800kg          | 9.82kW, 3Ф AC 380~415V, 14.92A |
| Dryer (6heats)                    | Dryer (6heats)   | Dryer (6heats)                 |
| 2,475(W) x 625D) x 750(H) mm      | 1,470kg          | 7.85kW, 3Ф AC 380~415V, 11.91A |



#### **OUR GLOBAL NETWORK**

DGI has been expanding its presence to approximately 80 countries. As of last year, the service was being operated in various countries, including Italy, the UK, Saudi Arabia, and the US. Now, more than 3,600 companies are estimated to have been using it.

#### **DGI HEADQUARTERS**

52, Cheongdam-Ro, Yangju-si, Gyeonggi-do, Korea TEL +82-31-820-8900

#### DGI GLOBAL SALES OFFICE

11F, Simon Tower, 15 Teheran-ro 84-gil, Gangnam-gu, Seoul TEL +82-31-820-8900

#### DGI Europe

Via Giuseppe Garibaldi, 151, 20833 Giussano MB, Italy TEL +39-340-3870459

#### **DGI USA**

27 Spectrum Pointe Drive, Suites 311 and 312, Lake Forest, CA, USA TEL +1-949-942-1885

#### **DGI CHINA**

Outlets130-104,Hengdayulanguoji,No.702 Shanhe Road, Chengyang District, Qingdao City, Shandong Province, CHINA TEL +86-187-6390-1188



## ARTRIX OMNI PRO

Adieu! Pre-Treatment

